THE LANCET Global Health

Supplementary appendix

This appendix formed part of the original submission and has been peer reviewed. We post it as supplied by the authors.

Supplement to: Wagman JA, Gray RH, Campbell JC, et al. Effectiveness of an integrated intimate partner violence and HIV prevention intervention in Rakai, Uganda: analysis of an intervention in an existing cluster randomised cohort. *Lancet Glob Health* 2014; published online Nov 28. http://dx.doi.org/10.1016/S2214-109X(14)70344-4.

Appendix 1 SHARE Volunteers and Special Programs

COMMUNITY VOLUNTEERS AND COUNSELING AIDES

Under SHARE's local activism strategy, 40 community volunteers (CVs), ten per cluster, were appointed and trained to work with core SHARE staff to lead community activities and serve as resident ambassadors of the project. The CVs played an integral role to the intervention as they served as local, familiar, role models to fellow community members, promoted a sense of project ownership, and ensured that intervention activities continued even when SHARE staff members were not present. Twelve community counseling aides (CCAs), three per cluster, were trained to offer basic support to community members experiencing violence and facilitate an active referral network between CVs, SHARE staff, RHSP counselors and local providers. All SHARE staff, community volunteers and key partners underwent a community activism course (CAC) that addressed understanding IPV, human rights awareness; and advocating for women's rights.¹

MEN AND BOYS PROGRAM

Both adult and youth male volunteers (n=48) from each intervention cluster underwent the CAC and learned to conduct community-level activities (e.g., group meetings, and one-on-one discussions) to address how traditional concepts of masculinity impacted risk for HIV and IPV, and the role of alcohol in increasing risk for both HIV infection and perpetration of abuse. Activities were developed to encourage men and boys to consider the benefits of reducing alcohol intake and talking more openly and honestly with their female partners about sex, relationships and peaceful conflict resolution.¹

YOUTH PROGRAM

A youth program was implemented following the Stepping Stones training package² for adolescents which used participatory learning to improve communication skills and build more gender-equitable intimate relationships. Approximately ten sessions were conducted for youth in schools and out of school (at central locations) in the four intervention clusters. Topics included listening and communication; sex and love; HIV and other STIs, safer sex, and condoms; the importance of staying in school; gender equality; nonviolent conflict resolution; and the importance of mutually consensual sex.^{1, 2}

INTEGRATED VIOLENCE AND HIV PROGRAMMING

Violence prevention activities were integrated into RHSP's existing HIV counseling and testing (HCT) and antiretroviral therapy (ART) programs. RHSP's HIV counseling protocols were modified so all HCT (n=18) and ART (n=5) counselors underwent the CAC and were trained to screen all female clients for IPV and handle or refer any cases. In the intervention clusters only, support groups were formed for, attended by and facilitated by women living with HIV. Additionally, both male and female HCT counselors (n=6) in intervention clusters were trained to offer a two-part screening and brief intervention (SBI) for abused and/or HIV-infected female clients undergoing post-test HIV counseling. All female clients were screened for recent and past IPV. Those who disclosed histories of IPV and/or a partner or husband who refused HCT were offered a brief (5-10 minute) risk reduction intervention whereby counselors talked with these clients and offered role play scenarios to help them develop skills to safely discuss condom use and consensual sex. A safe HIV disclosure SBI targeted women who tested HIV positive for the first time. Counselors asked these clients five screening questions to assess risk of disclosure-related IPV and, based on their responses, helped them develop a tailored plan for immediate, delayed, mediated, or non-disclosure.³

Appendix 2

Outcome	Survey question(s) used to measure outcome				
	2 11 1 1 J 4 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1				
Emotional IPV*	In the past 12 months, has your current partner verbally abused or shouted at you? NO/YES				
Physical IPV*	In the past 12 months, has your current partner done any of the following to you:				
	 Pushed, pulled, slapped, or held you down? Punched you with fist or with something that could hurt you? 				
	Kicked you or dragged you?				
	Tried to strangle you or burn you?				
	• Threatened you with a knife, gun or other type of weapon?				
	Attacked you with knife, gun, or other weapon?				
Sexual IPV*	In the past 12 months, has your current partner done any of the following to you:				
	• Used verbal threats to force you to have sex when you did not want to?				
	Physically forced you to have sex when you did not want to?				
	• Forced you to perform other sexual acts when you did not want to?				
Intimate partner forced	In the past 12 months have any of your sexual partners physically forced you to have sex				
sex*	when you did not want to? NO/YES				
Multiple (more than 1)	How many different sexual partners have you had in the last 12 months, including married or				
sexual partners	consensual partners, and anyone already mentioned?				
	• One				
	Two or more				
Non-marital sexual	Do you currently have a relationship with someone to whom you are not officially married or				
partners	in a consensual union? NO/YES				
Alcohol use with sex	Did you drink alcohol before your last sex with this partner? NO/YES				
Condom use	During the past 12 months have you/partner used condoms? NO/YES				
Partner's disclosure of	In the last 12 months has this partner informed you of his/her HIV sero-status?				
HIV status	 No or never got tested/results 				
	Yes or received couple counseling				
Self-disclosure of HIV	In the last 12 months have you informed this partner of your HIV serostatus?				
status	No or never got tested/results				
	Yes or received couple counseling				

Appendix 3

Web Table 2. Semi-annual incidence of HIV infection in women, men and the total population across five consecutive rounds (including one round following the SHARE intervention trial) of the Rakai Community Cohort Study conducted between 2004 and 2011 in Rakai, Uganda

Phase and Years	Population	Control		Intervention		
		No.a/py	Rate/100 py	No.a/py	Rate/100 py	IRR (95% CI)
PRE-BASELINE (2004-2005)	Women	2114/2884-86	1.35	1781/2444-01	0.78	1.06 (0.30-1.00)
	Men	1487/2117-23	1.27	1157/1638-71	1.04	0.81 (0.42-1.60)
	Total	3601/5002-09	1.32	2938/ 4082-72	0.88	0.67 (0.43-1.02)
BASELINE (2005-2006)	Women	2288/3654-3	0.93	1898/2946-2	1.26	1.35 (0.82-2.2)
No intervention	Men	1643/2721-2	1.21	1320/2206-9	0.77	0.64 (0.33-1.2)
	Total	3931/6375.58	1.05	3218/ 5153·11	1.05	1.00 (0.68- 1.45)
FOLLOW-UP 1 (2006-2008)	Women	2393/4225-32	1.35	2430/4247-35	1.01	0.75 (0.49-1.13)
Intervention rollout/scale up	Men	1769/3166-02	1.14	1793/3201-86	0.41	0.36 (0.17-0.69)
	Total	4162/7391·34	1.26	4223/7449·20	0.75	0.60 (0.42-0.84)
FOLLOW-UP 2 (2008-2009)	Women	2710/4928-06	1.26	2641/4727-22	0.80	0.64 (0.42-0.97)
Full intervention implementation	Men	2118/3975-07	1.01	2073/3866·14	0.77	0.77 (0.46-1.27)
	Total	4828/8893·73	1.25	4714/8589·10	0.83	0.66 (0.49-0.90)
POST-INTERVENTION (2010-2011)	Women	2766/4681-45	0.93	2533/4113·30	1.22	1.19 (0.77-1.84)
No intervention	Men	2248/3922-26	0.74	2120/3566-19	0.73	0.99 (0.56-1.73)
	Total	5014/8603·71	0.85	4653/7679-49	0.93	1.11 (0.79-1.55)

References

- 1. Wagman JA, Namatovu F, Nalugoda F, et al. A public health approach to intimate partner violence prevention in Uganda: the SHARE Project. Violence Against Women 2012; 18: 1390–412
- 2. Welbourn, A. Stepping stones. A training package on HIV/AIDS, communication and relationship skills. Strategies for hope training series no 1. London, UK: ActionAid London, 1995.
- 3. King E, Wagman J, Namatovu F, Kiwanuka D, Maman S. HIV and violence against women: a collaborative effort to develop counseling tools in Rakai, Uganda. 34th Annual International Conference on Global Health; Washington DC, USA; May 29–June 1, 2007.
- 4. Straus MA. Measuring intra family conflict and violence: The Conflict Tactics Scale. J Marriage Fam 1979; 41: 75–88.